


NOTES:

1. DIVERSION TO BE USED UPSLOPE OF A CONSTRUCTION SITE TO PREVENT STORM RUNOFF FROM ENTERING THE DISTURBED AREA.
2. IMMEDIATELY LINE AND STABILIZE BEFORE ANY DOWNSLOPE GRADING BEGINS (STABILIZATION MUST OCCUR BEFORE ISSUANCE OF A CERTIFICATE OF COMPLIANCE). STABILIZATION METHOD IS BASED ON VELOCITY OF OFFSITE DRAINAGE.
3. DIVERSIONS SHOULD ONLY BE USED FOR DRAINAGES 5 ACRES OR LESS.
4. ANY SEDIMENT LADEN WATER PRIOR TO STABILIZATION OF THE DIVERSION MUST BE DIVERTED INTO AN APPROVED EROSION AND SEDIMENT CONTROL BMP. CLEAN WATER SHOULD EMPTY INTO AN APPROVED OUTLET DEVICE.



CROSS SECTIONAL VIEW

MAINTENANCE NOTES:

- 1) INSPECT DIVERSION WEEKLY AND AFTER SIGNIFICANT RAIN EVENTS. REPAIR AND RESTABILIZE IMMEDIATELY IF EROSION OR OTHER DEFICIENCIES FOUND.
- 2) REMOVE ANY OBSTRUCTIONS FROM FLOW AREA.
- 3) MAINTAIN VEGETATION IN A VIGOROUS, HEALTHY CONDITION AT ALL TIMES. MONITOR AND REPAIR AS NECESSARY.
- 4) CHECK OUTLETS AND MAKE REPAIRS AS SOON AS POSSIBLE AND BEFORE NEXT RAIN EVENT.



STANDARD CLEAN WATER DIVERSION

DETAIL NUMBER

2018-011
SHEET 1 of 1