



ADDITIONAL NOTES:

- 1) INSPECT SILT BAG DAILY.
- 2) EFFORTS MUST BE MADE TO DEWATER BASIN OR OTHER WORK AREA FROM TOP OF WATER COLUMN TO MIMIC SURFACE DEWATERING OF SKIMMER IN A SKIMMER BASIN, WHICH DRAWS THE CLEANEST WATER FROM THE TOP OF PONDED WATER. OPENING OF INTAKE HOSE SHOULD NOT BE SET DIRECTLY IN SEDIMENT/MUD. VARIATIONS OF SUSPENDING INTAKE HOSE TO ACHIEVE THIS ARE ALLOWABLE.
- 3) SILT BAG MUST BE LOCATED INSIDE APPROVED LIMITS OF DISTURBANCE.

NOTES:

1. USE NO. 5 OR NO. 57 STONE FOR SEDIMENT CONTROL STONE.
2. PROVIDE STABILIZED OUTLET TO STREAM BANK.
3. WOOD PALLETS MAY BE USED IN LIEU OF STONE AND GEOTEXTILE AS DIRECTED. A SUFFICIENT NUMBER OF PALLETS MUST BE PROVIDED TO ELEVATE THE ENTIRE SPECIAL STILLING BASIN ABOVE NATURAL GROUND.
4. THE SIZE AND NUMBER OF SILT BAGS SHOULD BE BASED ON THE DEWATERING PUMP AND MANUFACTURER RECOMMENDATIONS.
5. TIGHTLY SECURE THE PUMP DISCHARGE TO THE SILT BAG SLEEVE WITH A STRAP OR SIMILAR DEVICE TO PREVENT WATER/SEDIMENT FROM LEAKING WITHOUT TREATMENT.
6. CONTROL PUMPING RATE TO PREVENT EXCESSIVE PRESSURE WITHIN THE SILT BAG IN ACCORDANCE WITH THE MANUFACTURER RECOMMENDATIONS. AS THE BAG FILLS WITHIN SEDIMENT, REDUCE THE PUMP RATE.
7. REPLACE THE SILT BAG WHEN ONE HALF (1/2) FULL OF SEDIMENT.
8. SILT BAG DEVICE MUST BE \geq 50FT FROM THE TOP OF THE STREAM BANK AND WATER MUST BE DISCHARGED IN A DIFFUSE MANNER.

NOT TO SCALE

DETAIL NUMBER

2018-025
SHEET 1 of 1

SILT BAG